

## References

- CDC. (2023). Traumatic brain injury and concussion. *Centers for Disease Control and Prevention.* <https://www.cdc.gov/traumaticbraininjury/index.html>
- Cogan, A. M., Haines, C. E., Devore, M. D., Lepore, K. M., & Ryan, M. (2019). Occupational challenges in military service members with chronic mild traumatic brain injury. *The American Journal of Occupational Therapy*, 73(3), 7303205040p1-7303205040p9. <https://doi.org/10.5014/ajot.2019.027599>
- Douglas, J. M., Dyson, M., & Foreman, P. (2006). Increasing leisure activity following severe traumatic brain injury: Does it make a difference? *Brain Impairment*, 7(2), 107–118. <https://doi.org/10.1375/brim.7.2.107>
- Fourtassi, M., Hajjioui, A., El Ouahabi, A., Benmassaoud, H., Hajjaj-Hassouni, N., & El Khamlichi, A. (2011). Long term outcome following mild traumatic brain injury in Moroccan patients. *Clinical Neurology and Neurosurgery*, 113(9), 716-720. <https://doi.org/10.1016/j.clineuro.2011.07.010>
- Gerber, G. J., & Gargaro, J. (2015). Participation in a social and recreational day programme increases community integration and reduces family burden of persons with acquired brain injury. *Brain injury*, 29(6), 722-729. <https://doi.org/10.3109/02699052.2015.1004745>
- Geurtsen, G. J., van Heugten, C. M., Martina, J. D., Rietveld, A. C., Meijer, R., & Geurts, A. C. (2011). A prospective study to evaluate a residential community reintegration program for patients with chronic acquired brain injury. *Archives of Physical Medicine and Rehabilitation*, 92(5), 696-704. <https://doi.org/10.1016/j.apmr.2010.12.022>
- Jellema, S., Van Erp, S., Nijhuis-van der Sanden, M. W., Van der Sande, R., & Steultjens, E. M.

(2021). Activity resumption after acquired brain injury: the influence of the social network as described by social workers. *Disability and rehabilitation*, 43(8), 1137-1144.

<https://doi.org/10.1080/09638288.2019.1652855>

Kelly, G., Wales, L., Owen, L., & Perkins, A. (2023). Young people's experiences of returning to physical leisure activities after a severe acquired brain injury. *Physical & Occupational Therapy In Pediatrics*, 43(4), 389-402. <https://doi.org/10.1080/01942638.2022.2151394>

Mitchell, E. J., Veitch, C., & Passey, M. (2014). Efficacy of leisure intervention groups in rehabilitation of people with an acquired brain injury. *Disability and Rehabilitation*, 36(17), 1474-1482. <https://doi.org/10.3109/09638288.2013.845259>

Tate, R. L., Wakim, D., Sigmundsdottir, L., & Longley, W. (2018). Evaluating an intervention to increase meaningful activity after severe traumatic brain injury: A single-case experimental design with direct inter-subject and systematic replications. *Neuropsychological rehabilitation*, 30(4), 641-672.

<https://doi.org/10.1080/09602011.2018.1488746>

Wheeler, S., Davis, D., Basch, J., James, G., Lehman, B., & Acord-Vira, A. (2022a). Self-regulation and relaxation-based interventions for adults with traumatic brain injury (2013–2020). *American Journal of Occupational Therapy*, 76(Suppl. 2), 7613393150. <https://doi.org/10.5014/ajot.2022/76S2015>

Wheeler, S., Davis, D., Basch, J., James, G., Lehman, B., & Acord-Vira, A. (2022b). Physical activity interventions for adults with traumatic brain injury (2013–2020). *American Journal of Occupational Therapy*, 76(Suppl. 2), 7613393140. <https://doi.org/10.5014/ajot.2022/76S2014>

Wise, E. K., Mathews-Dalton, C., Dikmen, S., Temkin, N., Machamer, J., Bell, K., & Powell, J. M. (2010). Impact of traumatic brain injury on participation in leisure activities. *Archives of Physical Medicine and Rehabilitation*, 91(9), 1357–1362.

<https://doi.org/10.1016/j.apmr.2010.06.009>