Room: B031 Studio Manager: Chris Maliga <u>chris.maliga@tufts.edu</u> Hazard Level: Low

Contents

Overview	2
Accessing the Inkjet Printing Studio	2
Equipment	2
Using the Inkjet Printing Studio	2
Staff	2
Studio Etiquette	3
Cleanliness	3
User's Guide to the Inkjet Printing Service at SMFA	4
Requesting a Print	4
Paper and Pricing	5
Preparing Your File(s) For Printing	5
Payment	9
User's guide to the Inkjet Printing Studio	10
Access Policy	10
User Responsibilities	10
Reservations	11
Ink and Maintenance Cartridges	14
Troubleshooting Tips	15

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

Overview

SMFA's Inkjet Printing Studio is a place where students can make large scale inkjet prints from digital files. There are two options for how students can use this studio: they can use the print service, where a student employee will print the file for a fee, or they can learn to use the printers on their own.

Accessing the Inkjet Printing Studio

- The printers in B031 can be reserved via WebCheckout.
- Students who enroll in a digital printing course will often be given access to B031 by the faculty member teaching the course.
- Students may also request access via the Photography Studio Manager.
- Once card access is granted to B031, it does not expire until the student graduates.
- This document must be <u>signed</u> by any user wishing to gain card access.

Equipment

- 2 Apple Mac Studio workstations with Eizo ColorEdge CG2420 color calibrated displays
- 1 Epson SureColor P2000 60" wide inkjet printer
- 1 Epson SureColor P9000 44" wide inkjet printer
- 1 Epson SureColor P900 17" wide inkjet printer
- 1 72" wide Dahle rotary trimmer

Using the Inkjet Printing Studio

If you would like to use the printing service, please see the Service Guide.

If you are interested in using the wide format printers on your own, please see the <u>Print Studio</u> <u>Guide</u>.

Staff

• Student monitors work in B031 throughout the week. While a monitor is on duty, the 60" printer is reserved for them. Their primary task is to print images that come in via the print service, but they are also avaiStudiole to assist other students. While you are encouraged to ask questions and inform the monitor if there are any issues, the monitor

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

cannot provide instruction on using software, edit your photos, or teach any other skills that you are learning as part of your class.

- If you wish to use the paper that the Inkjet Printing Studio keeps stocked, you will need to reserve time in B031 while a monitor is on duty.
- The Studio Manager's office is in room B023, two doors to the left of the D-Studio. If there is no monitor on duty, please report any issues and direct any questions to the Studio Manager. If he is not in his office, you can e-mail him at christophi.com.

Studio Etiquette

- Please plan your time carefully when using the Inkjet Printing Studio. The printers are built for quality, not speed, so you may be waiting for your print to come out at the end of your session.
- There is no storage of artwork or personal items allowed in the Inkjet Printing Studio. The flat files in B031 are reserved for use by printing courses and Printing Studio staff.
- Flat files are avaiStudiole in room B003. You may reserve one for the semester by filling out this form.
- If you run into any problem with a printer, computer, or other equipment, please inform the monitor on duty or the Studio Manager immediately. The equipment in B031 is delicate. Do not attempt to fix it yourself.
- You are responsible for your own work. Remember to run a nozzle check when you first start working with a printer, and double-check all of your settings. Ask the monitor or Studio Manager if you're not sure about something.

Cleanliness

- Please allot 5-10 minutes at the end of your printing session for clean-up.
- Make sure to back up all of your files and log out of your account when you're done working. There is no guarantee that your files will still be there the next time you use a computer.
- Power down the printer and unload your paper before leaving.
- Return the dust cover to the printer before leaving.
- Pick up and dispose of any paper scraps, including nozzle checks and test prints. In general, matte papers are recycStudiole and glossy/luster papers are not.

SMFA INKJET PRINTING STUDIO POLICIES AND PROCEDURES Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

User's Guide to the Inkjet Printing Service at SMFA

The Inkjet Printing Service is located in room B031. The Studio is output-only, meaning that a print will be made directly from your file with no edits or adjustments made, except for resizing. Any edits you make must be done prior to sending your file.

Requesting a Print

In order to have a print made, you will need access to the Inkjet Printing Studio Upload folder on Box. You can either stop by B031 during monitored hours or e-mail <u>SMFAInkjetPrint@tufts.edu</u> and request access.

Once you have access to the Box folder, upload the file that you would like printed. Make sure that it is of sufficiently high resolution for inkjet printing (240-360dpi) and that you have made all adjustments to color, brightness, contrast, etc. before sending.

After uploading your file, please complete this brief form to provide us with the info we will need to complete the print:

https://tufts.qualtrics.com/jfe/form/SV_3fNVwaAbCZ8bee2

You can also send an e-mail to <u>SMFAInkjetPrint@tufts.edu</u> with the following information:

- The name of the print file you uploaded
- The dimensions of the print (WxH)
- What size border (if any) you would like
- The type of paper you would like it printed on

The next time a Monitor is on duty, they will e-mail you with a cost estimate. As soon as you write back approving the estimate, your file will be moved to the printing queue. You will receive an e-mail letting you know when it's ready.

You can also stop by B031 with your file during monitored hours if you'd prefer to talk to the Monitor in person. If there are no jobs in the queue when you stop by, this will likely be faster.

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

Paper and Pricing

Please see the following chart for our options and current prices:

	DIGITAL PRINTING LAB PRICE LIST										
PAPER	WEIGHT	SURFACE	ROLL SIZE	PRICE PER SQ FT	SHEET SIZE	SHEET PRICE (EA)					
HP Universal Heavyweight Coated Matte (HP Matte)	172 GSM	Matte (MK)	42" 60"	\$1.50							
Epson Ultra Premium Luster	240 GSM	Semi-Gloss (PK)	44" 60"	\$3.50	8.5"x11" 13"x19" 17"x22"	\$2 \$7 \$11					
Epson Enhanced Matte/ Epson Premium Presentation Matte	192 GSM	Matte (MK)	44"	\$3.50	8.5"x11" 13"x19" 17"x22"	\$2 \$7 \$11					
Canson Baryta Photographique	310 GSM	Semi-Gloss (PK)	44" 60"	\$5.50	8.5"x11"	\$4					
Canson Rag Photographique	310 GSM	Matte (MK)	44" 60"	\$5.50	8.5"x11"	\$4					
Hahnemuhle Cezanne Canvas	450 GSM	Matte (MK)	44"	\$5.50							
Inkpress Matte Duo 80	215 GSM	Matte (MK)	-	-	8.5"x11"	\$4					
HP Clear Film (Clear Acetate)			36"	\$3.50							
Kodak Matte Adhesive Vinyl		Matte (MK)	36"	\$3.50							

If you would like to see samples of prints made on different surfaces, please ask the Studio Monitor any time the Print Studio is open.

Preparing Your File(s) For Printing

We accept image files in the following formats:

TIFF

JPEG

PSD


PSB

If you are interested in having a file printed in a different format (such as InDesign or Illustrator), please speak with the Monitor ahead of time.

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

While the Studio Monitor can resize your file for you, it is recommended that you make any necessary size adjustments ahead of time so that your proportions are correct and there aren't any unexpected issues with the image.

In PhotoShop, you can adjust your image size via the "Image Size..." option in the "Image" menu:



We recommend that you maintain the image's original proportions in order to avoid distortion. To ensure consistent print quality, your image resolution should be between 240 and 360 dpi (dots per inch) or ppi (pixels per inch). Anything below this range will result in loss of image quality in the print. Anything higher may result in a file size that is too large.

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

0 0 0		Image Size			
atte	13x19",	Image Size:	4.01M		۰.
	17x22"	Dimensions:	🖂 1519 рх	× 923 px	
mi-gloss	8.5x11"		Original Size		~
mi-gloss		r── Width: S └─ Height:		Inches	×
atte	8.5x11"	Resolution:		Pixels/Inch	~
atte		🗹 Resample:	Bicubic Smo	other (enlargement)	~
atte	8.5x11"				
otto		Cance		ок	\supset


In general, if your initial file size is smaller than the size of the print you would like to make, or the resolution is lower, the quality of the print will be adversely affected. We recommend beginning with a file that is larger than the print you intend to make. When working digitally, it is much easier for software to remove excess information than to try to interpolate information that doesn't exist.

To draw a border around your image, go to the "Image" menu and select "Canvas size..."

Photoshop File E	dit Image	Layer	Туре	Selec	t Filter	3D	View
	Mode			Þ	-		Adobe I
Auto-S	elect Adjus	tments		Þ	- = +		
× DLab Printing Pr	icae Auto	Tone		ትዝ		% (RGB/	× 3(
- Deab frinding fri		Contrast		ፕ ሱ 🕱 ו	9 6 20		
⊕_							
	Auto	Color		ዮ#ዘ	3		
	Image	e Size		ጚዝ፣			
ρ_{1}	Canva	as Size		7.80	2		
R. I	Image	Rotatio	n				
<u>ц</u> .	Trim						
⊠ _	Revea	al All					
H. 0	Dupli	cate			Lab	Price	e Lis
	Apply	Image					
reit					et Sizes	Sheet Cost	s Roll S
D. Ens		lations			11".	\$2, \$7, \$11	44". 60
	on Ultr				22	\$2, \$7, \$11	44', 60
L. Ens	on Ent Variat				11".		
Epsi	on Pre Apply				19",	\$2, \$7, \$11	44*
Mat					22"	10.00	
	son Ba Trap				11*	\$4	44° 60°
Can Can	son Re				11*	\$4	44*, 60
	son Eg Analy	eie			**		44"
Inka	xess N. Andry	313			11"	\$4	
	Universal Heavyweigh te (HP Matte)	nt Coated 17	2gsm	Matte			44°, 60
P. Inkr	oress Clear Film (Clea	ar Acetate)					

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

Increase the size of your canvas by twice the size of the border you desire. In the below example, we want to add a $\frac{1}{2}$ " border to our image, so we've added 1" to the canvas in both dimenions:



	Canvas Si	ze	
Current Size: 4.01M			<u> </u>
Width:	5.063 Inches		(ок
Height:	3.077 Inches		Cancel
New Size: 6.36M			
Width:	6.063	Inches	
Height:	4.077	Inches	
	Relative		
Anchor:	$\begin{array}{c} \mathbf{X} \uparrow \mathbf{X} \\ \mathbf{+} \bullet \mathbf{+} \\ \mathbf{X} \downarrow \mathbf{X} \end{array}$		
Canvas extension color:	Background	~	


After you click "OK", use the Rectangular Marquee tool to draw a selection marquee around the entire canvas:

* DLab Printing Pr	elect: Layer ~ 0 S ices jpg @ 33.3% (RC	56/8) * 2	* Image		■ = 0% (RGB 4	1 8 8 8 × 300dpi	oshop 2020 Ix I ···· jpg @ 100% (R 5	3D Mod GB/ 6.
* DLab Printing Pr	ices jpg @ 33.3% (RC	56/8) * 2	* Image	Size.jpg @ 5	4.			
Rectangular Marqu		2 PI		3	4.			
Rectangular Marqu		2 PI		3	4.			
Rectangular Marqu		P	rintin			List	P	
Rectangular Marqu		and the second se	rintin	g Lab	Price	List		
Rectangular Margu		and the second se	rintin	g Lab	Price	List		
Rectangular Marqu		and the second se	rintin	g Lab	Price	List		1
Rectangular Marqu		and the second se	rintin	g Lab	Price	List		
Rectangular Marqu		and the second se	rintin	g Lab	Price	List		
Rectangular Marqu		and the second se	rintin	g Lab	Price	List		
Rectangular Marqu	2	and the second se	rintin	g Lab	Price	List		
Rectangular Marqu	2	and the second se	rintin	g Lab	Price	List		
Rectangular Marqu	21-	and the second se	rintin	g Lab	Price	List		
Atakas a salastian k		and the second se	rintin	g Lab	Price	List		
Rectangular Marqu		and the second se	rintin	g Lab	Price	List		
Rectangular Marqu		and the second se						
Rectangular Marqu		-		-				
Rectangular Marqu			Surface	Phone Cines	Sheet Costs	Roll Sizes	Roll Costs	
Makes a selection is		ght	Sunabe	8.5k11*.	Silber Costs	RUITSIZUS	Roll Costs	
Makes a selection is	iee tool (M)	esm.		8.5k11', 13x19',	\$2, \$7, \$11	44', 60"	\$3.50/sq ft	
	the change of a rectange	gsm	0	13x19', 17x22'	\$2, \$7, \$11	44', 60'	\$3.50/90 ft	
Makes a selection in	the shape of a rectangi	e	Semi-gloss					
	on Premium Presentation		Matte	8.5x11*, 13x19*.		44'		
Mat	on Premum Presenzation	192gsm	Notice	17:22"	\$2, \$7, \$11	44	\$3.50/sq ft	
A STATE	son Baryta Photographique	0402	Semi-gloss	8.5x11*	\$4	44*	\$5.50/sq ft	
Can	son Baryta Photographique son Platine Fibre Rag	310gsm 310gsm	Semi-gloss	8.5811	34	601	\$5.50/sq ft	
* 0	son Rag Photographique	310gsm	Matte	8.5x11*	\$4	44", 60"	\$5.50/sq ft	
	son Edition Etching Rag	310gsm	Matte	O.UKI1	34	44*	\$5.50/sq ft	
La	press Natte Duo 80	215gsm	Matte	8.5×11*	\$4	44	100-050/8411	
	Universal Heavyweight Conter			0.0411	44			
	to (HP Matte)	172gsm	Matte			44", 60"	\$1.50/sq ft	
				-				
Inka	press Clear Film (Clear Aceta)	e)						
	Clear Film (Clear Acetate)	170gsm		-		36"	\$3.50/sq ft	
	ak Matte Adhesive Virvi	a. ogsi	Matte	-	-	36°	\$3.50/sq ft	
	thing Color Lyve Canvas	450gsm	Matte	-		44", 60"	\$5.50/sq ft	
	orico	-soupen	respuse			36"	\$4.50/sq ft	
10.000		200 051	Semi-gloss	-		44*	\$5.50/sq ft	
	nin Shar Pas							
Heh	eo Silver Rag nomule Fine Art Peorl	285 GSM	Semi-gloss			44*	\$5.50/sq ft	

Printing I	rices jpg @ 3.3% (RGI	8/8)*		iize.jpg @ 5 3	Normal		4 ijpg @ 100 5
		2		3	4		
ō							5
	Digit	ol Di					
F	Digit	ol Pe					
Г	Digit	ol De					
Г	Digit	ol De					
Г	Digit	ol Di					
Г	Digit	ol Di					
Г	Digit	ol Di					
Г	Digit	al Di					
Г	Digit	ol De					
Г	Digit	al Di					
Г	Digit						
	Digit	al D.					
				d I ah	Drico	lict	
		ai ri		g Lav	Price	LIST	
	-			-			
0	aper	Weight	Surface	Sheet Sizes	Sheet Costs	Roll Sizes	Roll Costs
-	ibu	weight	Suriace	8.5x11*.	Silver Costs	Run Sizes	Holl Costs
	and the second second second second			8.5x11', 13x19',	\$2, \$7, \$11	44", 60"	
E.C	son Utra Premium Luster	240gsm			\$2, \$7, \$11	44', 60'	\$3.50/sq ft
			Semi-gloss	17x22"			_
	son Enhanced Matte/		1000	8.5×11',		1.00	Steensor
	son Premium Presentation	192gsm	Matte	13x19',	\$2, \$7, \$11	44°	\$3.50/sg ft
M	atte			17x22*			
0	inson Baryta Photographique	310gum	Semi-gosa	8.5x11*	\$4	44*	\$5.50/ng ft
			Semi-gloss			601	\$5.50/sg ft
C						44", 60"	\$5.50/sq ft
	inson Platine Fibre Rag	310gsm 310gsm	Matte				
C	inson Platine Fibre Rag Inson Rag Photographique	310gsm	Matte	8.5x11*	\$4		
00	inson Platine Fibre Rag Inson Rag Photographique Inson Edition Etching Rag	310gsm 310gsm	Matte			44*	\$5.50/sq ft
Ci	Inson Platine Fibre Rag Inson Rag Photographique Inson Edition Etching Rag Roress Matte Duo 80	310gsm 310gsm 215gsm	Matte Matte	8.5x11' 8.5x11'	\$4 \$4	44*	\$5.50/sq ft
0012	Inson Platine Fibre Rag Inson Rag Photographique Inson Edition Etching Rag Roress Matte Duo 80 P Universal Heavyweight Coated	310gsm 310gsm	Matte				
0 0 s z	Inson Platine Fibre Rag Inson Rag Photographique Inson Edition Etching Rag Roress Matte Duo 80	310gsm 310gsm 215gsm	Matte Matte			44*	\$5.50/sq ft
00EEM	Inson Platine Fibre Rag Inson Rag Photographique Inson Edition Etching Rag Roress Matte Duo 80 P Universal Heavyweight Coated	310gsm 310gsm 215gsm 172gsm	Matte Matte			44*	\$5.50/sq ft
	inson Platine Fibre Rag Inson Rag Photographique Inson Edition Etching Rag Ispress Nate Duo 80 P Universal Heavyweight Coated site (HP Matte) Koress Clear Film (Clear Acetate)	310gsm 310gsm 215gsm 172gsm	Matte Matte			44°. 44°. 60°	\$5.50/sq ft \$1.50/sq ft
C N E E O	Inson Platine Fibre Rag Inson Rag Photographique mison Edition Echining Rag Koress Matte Duo 80 P Universal Heavyweight Coated state (HP Matte) koress Clear Film (Clear Acetate) P Clear Film (Clear Acetate)	310gsm 310gsm 215gsm 172gsm	Matte Matte			44°. 44°, 60° 36°	\$5.50/sq ft \$1.50/sq ft \$3.50/sq ft
	Inson Platine Fibre Reg Inson Reg Photographique meon Edition Exching Reg lapress Natte Duo 80 * Universal Heavyweight Coated atte (HP Mette) * Cear Film (Cear Acetate) * Cear Film (Cear Acetate) datk Matte Achesive Vinvi	310gsm 310gsm 215gsm 172gsm 170gsm	Matte Matte Matte			44°. 44°. 60° 36°. 36°.	\$5.50/sq ft \$1.50/sq ft \$3.50/sq ft \$3.50/sq ft
이이프로 2 도 또하	Inson Patine Fibre Rag Inson Rag Photographia Inson Exton Exhing Rag Inson Exton Exhing Rag Volknessa Haveyweight Costed atte (HP Mutte) P Cear Film (Clear Acetate) Apress Clear Film (Clear Acetate) Ader Matte Adhesive Virv) extring Coor Lyve Convas	310gsm 310gsm 215gsm 172gsm	Matte Matte			44°. 44°. 60° 36°. 36°. 44°. 60°.	\$5.50/sq ft \$1.50/sq ft \$3.50/sq ft \$3.50/sq ft \$5.50/sq ft
신이드도의 오 도움ል요.	Inson Pattine Fibre Rag Inson Rag Photographique Inson Rag Photographique Inson Exiting Rag Inson Exiting Rag Varies Nater Duo 80 Varies Nater Duo 80 Varies Nater Duo 80 Varies Nater Varies	310gsm 310gsm 215gsm 172gsm 170gsm 450gsm	Matte Matte Matte Matte Matte			44° 44°, 60° 36° 36° 44°, 60° 36°	\$5.50/sq ft \$1.50/sq ft \$3.50/sq ft \$3.50/sq ft \$5.50/sq ft \$4.50/sq ft
이이트도제 도 도움하도록	Inson Patine Fibre Rag Inson Rag Photographia Inson Exton Exhing Rag Inson Exton Exhing Rag Volknessa Haveyweight Costed atte (HP Mutte) P Cear Film (Clear Acetate) Apress Clear Film (Clear Acetate) Ader Matte Adhesive Virv) extring Coor Lyve Convas	310gsm 310gsm 215gsm 172gsm 170gsm 450gsm 300 GSM	Matte Matte Matte			44°. 44°. 60° 36°. 36°. 44°. 60°.	\$5.50/sq ft \$1.50/sq ft \$3.50/sq ft \$3.50/sq ft \$5.50/sq ft

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

Go to the "Edit" menu and select "Stroke"



Stroke	
Stroke	ОК
Width: 1 px	
Color:	Cancel
Location	
🔍 Inside 🛛 🧿 Center 🔍 Outsi	de
Oinside Ocenter Outsi Blending	de
	de
Blending	de

You can now draw a border around the image to include the margins of the canvas. We recommend a one pixel thick black border.

Payment

All payments are handled by the SMFA Art Store. When you send your file and print request information to the Studio, you will receive a cost estimate for the print. Give the total amount to the Art Store and ask them for that amount in digital printing credits. Once they have processed your payment, bring the slip with you to the Studio when you pick up your print. Your print must remain in the Print Studio until it has been paid for.

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

User's guide to the Inkjet Printing Studio

This guide is for students who wish to do their own printing using the wide format inkjet printers in B031.

Access Policy

- Before a student can be trained on the wide format printers, they should already be familiar with the basics of inkjet printing. The student should have experience with using the printers in B019 from a digital printing course at SMFA, or comparable experience with similar printers. If a student has never used an inkjet printer before, they should enroll in a digital printing course.
- The Studio is staffed by a student employee at certain times during the week. During times that there is a student employee on duty, only one printer may be reserved. The other is reserved for the monitor to complete jobs for the print service.
- Inkjet printing is best suited for high resolution, low volume output such as photographic prints. If a student needs to print a lot of copies of something on basic paper, such as zines, postcards, fliers, etc., they should use the JumboPrint laser printers.

User Responsibilities

- You must provide your own paper while using the Studio (except for plain paper for nozzle checks). The wide format printers accept both sheets and rolls. The paper that is stocked in the Studio is used for the print service and can only be accessed by a student employee.
- If a student wishes to make their own print using the Studio's paper, they should schedule a time during which a student employee is on duty that can access the paper for them.
- If you are interested in printing on a material that is not a standard inkjet paper, please consult with the Studio Manager first. This includes newsprint, inkjet fabric, handmade paper, etc.
- Prints cannot be stored in the Studio. You may use the magnetic wall or the Homasote boards in the hallway for off-gassing, but please pick your print up

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

within 24 hours. If it is left hanging for longer than that, it will be moved to a flat file. Contents of that flat file are subject to disposal at any time.

- Each student is responsible for running their own nozzle checks. If a printer is clogged, they should run a normal cleaning, either on all nozzles or on the affected color pair. If there are still clogs after three successive cleanings, students should stop cleaning and notify the Studio Monitor or Studio Manager.
- Students should notify the Studio Manager ASAP about any of the following issues:
 - A problem with any equipment that you are not able to resolve. If one of the printers is having an issue, the student should save any prints that were ruined.
 - Someone else using the Studio during a time that the student has it reserved.
 - If the Studio has been left in poor condition by a previous user trash left behind, the printers left uncovered or not shut down, etc.

Reservations

You must reserve a printer ahead of time. If you do not arrive within the first 15 minutes of your reservation, it may be forfeit. Reservations can be made via WebCheckout Patron Portal:

https://webcheckout.tufts.edu/sso/patron#!/

• Login using your Tufts credentials and click on SMFA Studio Reservations

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low



Cancel

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

• Click on the Digital Printing Studio (B031)

≡	Se WEBCHECKOUT Patron Portal	•	?	СМ	Christopher Maliga @ SMFA Studio Reservations 3:39 PM EDT
۹					F 0
Home	2				
Selec	t Туре				
3	Ceramics Kiln Room A004	Digital Printing Lab (D-Lab) B031		Riso	Studio A207

• Click the Add button next to the printer that you wish to use, then click on the Shopping Cart icon at the top of the screen

=	Sa WEBCHECKOUT Patron Portal		•	? См	Christo @ SMF/ 3:40 PN	pher Maliga A Studio Reservations 🗸 I EDT
٩					2	۳ ۵
Digita	Digital Printing Lab (D-Lab) 8031 Al Printing Lab (D-Lab) E	3031 Ø				
Gener	ral Information					
Resou	irce O	Epson Stylus Pro 11880 Epson SureColor P9000				info i Add 19 info i Add 19
Add a	search term ~		First Page (1) Last Page		1
	Reset Search					

SMFA INKJET PRINTING STUDIO POLICIES AND PROCEDURES Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

• Select the date and time you wish to use the printer

T			<u>A</u>	2	Lou
Review Your Reservation					×
Start Time					
09/12/2022 ▼ 0	1:00PN	1			
Duration			Done		
15 minutes	1	2	3		^
30 minutes	4	5	6		
45 minutes	7	8	9		~
End Time set to: Mon, Sep 12, 2022 3:30 PM	AM	0	PM		
Resources					
■ 1 × Epson Stylus Pro 11880					

• Scroll down to confirm your reservation. WebCheckout will notify you of any issues, such as checkout duration or lead time.

Ink and Maintenance Cartridges

- Both the P9000 and 11880 printers use 700ml ink cartridges. Even when they are relatively low in ink volume, they are still capable of producing many prints.
- If you attempt a head cleaning and the printer prompts you to change an ink cartridge, remember to put the original cartridge back in the printer when you are done cleaning. When a cartridge is fully depleted, the printer will pause your print and allow you to change the cartridge.
- Only open a new cartridge if there is not already an open cartridge of that color. When a cartridge is too low for cleaning, there will often be an open cartridge already that someone else has used.
- The P9000 and 11880 each have two maintenance cartridges, one on the left as you are facing the printer, and one on the right. Unlike with an ink cartridge, you should replace the maintenance cartridge if the printer prompts you. Replace the cartridge that is on the right side of the printer.

Room: B031 Studio Manager: Chris Maliga | <u>chris.maliga@tufts.edu</u> Hazard Level: Low

• Depleted ink cartridges and full maintenance cartridges should be placed in the white bucket in B019. Place only the cartridge in the bucket. Packaging should be discarded in a recycling bin. Make sure to put the maintenance cartridge into the reseaStudiole plastic bag included with its replacement.

Troubleshooting Tips

- Test strips must be a minimum of five inches in height. The printer will not print anything on a canvas that is smaller than that, but it will waste some of your paper.
- When printing on a roll, make sure that the width of the print is equal to the width of the roll. For example, if your print is 20"x30" on a 44" wide roll, the width in the printer settings should be 44".
- It is possible for the printer to develop a clog midway through a print. If you see banding start to occur, run a nozzle check again.
- In general, power cleanings are rarely recommended. They consume a large amount of ink compared to a regular cleaning and are not necessary for clearing a normal clog. A power cleaning should only be used when three subsequent standard cleanings fail to clear the same clog.
- A head strike is when the printer leaves dark splotches of ink on a print. This is caused by the print head coming into contact with the paper during printing. It can happen with thick paper or with paper that is excessively curled. To remedy a head strike, adjust the Platen Gap setting in the Advanced Media Control menu to raise the print head higher above the paper.

In order to access the Inkjet Printing Studio, you must sign your understanding of and agreement to these policies using the form below:

https://tufts.qualtrics.com/jfe/form/SV_5mUrF4Zbrj5WleK