

Worksheet 6
Mathematics of Social Choice
Duchin, Spring 2021



First we'll define two kinds of changes (or “moves”) on preference schedules. A move *favorable to X* is one in which some voters change their preferences so that X is raised, while the relative order of the others stays the same. (Example: FOXY \rightarrow FXOY or XFOY.) Let's say a move *neutral to X* is one in which every voter keeps X in the same position in their preferences, switching others around but never moving them past X, so the ones above stay above and the ones below stay below. (Example: the only move of FOXY that is neutral to X changes it to OFXY.)

A voting system is called *monotonic* if it can never happen that some moves favorable to X switch them from a winner to a loser. *Strongly monotonic* means that it can never happen that some combination of moves favorable to and neutral to X switch them from a winner to a loser. And *Pareto efficient* means that if every single voter ranks a candidate first, that candidate will be the (only) winner.

Problem 1. Explain why Borda count and plurality are monotonic.

Elimination is not monotonic. Discuss what kind of preference schedule would be needed to show this, and try to find one!

Problem 2. Show that Dictatorship is Pareto-efficient, strongly monotonic, and always has just one winner. (Even though this sounds pretty basic, we are about to prove that it is the ONLY system—out of all the infinitely many systems in the world—that has all three of these properties.)

Problem 3. So far, the (somewhat reasonable) basic voting systems we have studied are plurality, Borda, runoff, elimination, Coombs, pairwise comparison, and beatpath. (Then there are also Smithified versions of those, which you can think of as upgrades to get rid of weak spoilers.) We can fix a candidate sequence and use sequential order to break ties, making them all into single-winner systems. For instance, if the chosen sequence is ALBERT, then a tie between L and T would be resolved in favor of L (since they came first in the sequence).

Plurality, Borda, and pairwise comparison all work by essentially awarding each candidate a number of points—you can use these points to rank *all* the candidates. For the preference schedule below, first name a sequential order, then give the voters' collective ranking of the candidates using these three systems.

Bonus: come up with ideas for deriving rankings from some of the other systems as well, and explain your work. (There are many reasonable ways to do this!)

×9	×6	×2	×7
A	C	C	B
C	B	A	A
B	A	D	D
D	D	B	C